

## Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at <http://www.pubs.asce.org/cedbsrch.html>.

**Advection**

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

**Algorithms**

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Groundwater Remediation Strategy Using Global Optimization Algorithms. —Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeleye; 128(6), 456-61 (2002).

**Aquifers**

Uncertainty Analysis in Contaminated Aquifer Management. —Hugh S. Wong and William W.-G. Yeh; 128(1), 33-45 (2002).

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. —Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

**Arizona**

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

**Bays**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Bed loads**

Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

**Benefit cost ratios**

Floodplain Planning with Risk-Based Optimization. —Jay R. Lund; 128(3), 202-7 (2002).

**Biological treatment**

Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. —Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

**Boundaries**

Boundary Schematization in Regulatory Mixing Zone Analysis. —Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

**California**

Southern California Water Markets: Potential and Limitations. —Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Monterey County Water Recycling Project: Institutional Study. —Brent M. Haddad; 128(4), 280-7 (2002).

Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

**Case reports**

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

**Catchments**

Uncertainty Analysis of Regional Flow Duration Curves. —Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

**Channel stabilization**

Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

**Chesapeake Bay**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Chlorine**

Predicting Chlorine Residuals in Drinking Water: Second Order Model. —Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

**Classification**

Hydrologic Regionalization of Watersheds. I: Methodology Development. —Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

**Climatic changes**

Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. —Paul H. Kirshen; 128(3), 216-26 (2002).

Climate Change and Water Resources in Lebanon and the Middle East. —E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

**Coastal management**

Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

**Columbia River**

Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. —Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

**Constrained differential dynamic programming**

Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. —Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

**Contaminants**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Contamination**

Uncertainty Analysis in Contaminated Aquifer Management. —Hugh S. Wong and William W.-G. Yeh; 128(1), 33-45 (2002).

**Cost analysis**

Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

**Costs**

Costs for Water Supply Distribution System Rehabilitation. —Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. —Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. —Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

**Data processing**

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

**Decision making**

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. —A. Tilmant, M. Vancloster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

**Decision support systems**

Spatial Decision Support System for Integrated River Basin Flood Control. —Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

**Delaware**

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

## Civil Engineering Database Keyword Index

The **Civil Engineering Database (CEDB)** is designed to provide free, easy bibliographic access to all ASCE publications. The database covers ASCE documents published since 1972. It provides access to all the journals, conference proceedings, books, standards, manuals, magazines, and newspapers. The index terms below were assigned to papers published in this journal during 2002 from a CEDB keyword list. The CEDB and keyword list can be accessed on the Web at <http://www.pubs.asce.org/cedbsrch.html>.

**Advection**

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

**Algorithms**

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

Groundwater Remediation Strategy Using Global Optimization Algorithms. —Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeleye; 128(6), 456-61 (2002).

**Aquifers**

Uncertainty Analysis in Contaminated Aquifer Management. —Hugh S. Wong and William W.-G. Yeh; 128(1), 33-45 (2002).

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. —Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

**Arizona**

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

**Bays**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Bed loads**

Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

**Benefit cost ratios**

Floodplain Planning with Risk-Based Optimization. —Jay R. Lund; 128(3), 202-7 (2002).

**Biological treatment**

Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. —Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

**Boundaries**

Boundary Schematization in Regulatory Mixing Zone Analysis. —Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

**California**

Southern California Water Markets: Potential and Limitations. —Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Monterey County Water Recycling Project: Institutional Study. —Brent M. Haddad; 128(4), 280-7 (2002).

Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

**Case reports**

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

**Catchments**

Uncertainty Analysis of Regional Flow Duration Curves. —Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

**Channel stabilization**

Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

**Chesapeake Bay**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Chlorine**

Predicting Chlorine Residuals in Drinking Water: Second Order Model. —Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

**Classification**

Hydrologic Regionalization of Watersheds. I: Methodology Development. —Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

**Climatic changes**

Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. —Paul H. Kirshen; 128(3), 216-26 (2002).

Climate Change and Water Resources in Lebanon and the Middle East. —E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

**Coastal management**

Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

**Columbia River**

Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. —Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

**Constrained differential dynamic programming**

Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. —Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

**Contaminants**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Contamination**

Uncertainty Analysis in Contaminated Aquifer Management. —Hugh S. Wong and William W.-G. Yeh; 128(1), 33-45 (2002).

**Cost analysis**

Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

**Costs**

Costs for Water Supply Distribution System Rehabilitation. —Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. —Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. —Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

**Data processing**

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. —T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

**Decision making**

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. —A. Tilmant, M. Vancloster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

**Decision support systems**

Spatial Decision Support System for Integrated River Basin Flood Control. —Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

**Delaware**

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. —Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

## Desalination

Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

## Dewatering

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

## Disinfection

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

## Dispersion

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

## Diversification

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. — Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

## Droughts

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loaiciga; 128(6), 399-405 (2002).

## Economic factors

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

## Egypt

Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

## Estuaries

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. — Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

## Evaporation

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loaiciga; 128(6), 399-405 (2002).

Effects of Integrated Planning on Capacity-Yield-Performance Functions. — Majid Montaseri and Adebayo J. Adeboye; 128(6), 456-61 (2002).

## Excavation

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

## Expert systems

Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

## Failure

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Serali; 128(4), 271-9 (2002).

## Fixed cost

Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

## Flood control

Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

## Flood plain management

Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

## Flood plains

Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

## Flood routing

Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

## Flow duration curves

Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

## Forecasting

Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

## Fuzzy sets

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

## Genetic algorithm

Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

## Geographic information systems

Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

## Global warming

Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. — Paul H. Kirshen; 128(3), 216-26 (2002).

## Ground water

Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. — Paul H. Kirshen; 128(3), 216-26 (2002).

Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

## Ground-water management

Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W.-G. Yeh; 128(1), 33-45 (2002).

Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

## Ground-water recharge

Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

## Grouting

Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

## Hydroelectric power

Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

## Hydroelectric powerplants

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

## Hydrologic properties

Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

## Hydrometeorology

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

## India

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

## Indonesia

Rapid Assessment of Water Systems based on Internal Consistency. — J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

## **Inflow**

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

## **Inspection**

Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

## **Italy**

Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

## **Korea**

Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

## **Land usage**

Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

## **Leaching**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperal, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

## **Leakage**

Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. — Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

## **Lebanon**

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

## **Linear programming**

Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loáiciga; 128(6), 399-405 (2002).

## **Location**

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

## **Massachusetts**

Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. — Paul H. Kirshen; 128(3), 216-26 (2002).

## **Mathematical models**

Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

## **Methodology**

Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

## **Middle East**

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

## **Models**

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

## **Multiple objective analysis**

Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

## **Municipal water**

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

## **Networks**

Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

## **Neural networks**

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

## **Nevada**

Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

## **Nitrates**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperal, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

## **Nutrients**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

## **Optimization**

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. — Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vancooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loáiciga; 128(6), 399-405 (2002).

## **Optimization models**

Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

Pipes  
Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

## **Planning**

Effects of Integrated Planning on Capacity-Yield-Performance Functions. — Majid Montaseri and Adebayo J. Adeboye; 128(6), 456-61 (2002).

## **Potable water**

Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

## **Prediction**

Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).



## Pricing

Water Price Influence on Apartment Complex Water Use. — Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

## Regional analysis

Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

## Regression models

Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

## Rehabilitation

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Serali; 128(4), 271-9 (2002).

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

## Reliability

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

## Reliability analysis

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

## Remedial action

Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

## Replacement

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Serali; 128(4), 271-9 (2002).

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

## Reservoir design

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loaiciga; 128(6), 399-405 (2002).

## Reservoir operation

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loaiciga; 128(6), 399-405 (2002).

## Reservoir storage

Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

## Reservoirs

Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

Effects of Integrated Planning on Capacity-Yield-Performance Functions. — Majid Montaseri and Adebayo J. Adeboye; 128(6), 456-61 (2002).

## Retention

Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

## Risk

Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

## Risk management

Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

## River basins

Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

## Runoff

Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

## Salinity

Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

## Salt water-fresh water interfaces

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. — Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

## Seasonal variation

Water Price Influence on Apartment Complex Water Use. — Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

## Sedimentation

Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

## Sewers

Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

## Solids

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

## Stochastic processes

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

## Stormwater

Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

## Stormwater management

Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

## Stream erosion

Stream Erosion Potential and Stormwater Management Strategies. — Brian P. Bledsoe; 128(6), 451-5 (2002).

## Streamflow

Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loaiciga; 128(6), 399-405 (2002).

## Surface waters

Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. — Paul H. Kirshen; 128(3), 216-26 (2002).

## Taiwan

Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

## Trenching

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

## Trihalomethanes

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

## Two-dimensional models

Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

## Uncertainty analysis

Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

## Virginia

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

## Wastewater

Boundary Schematization in Regulatory Mixing Zone Analysis. — Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).

#### **Water balance**

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

#### **Water circulation**

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

#### **Water demand**

Water Price Influence on Apartment Complex Water Use. — Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

#### **Water distribution**

Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Serali; 128(4), 271-9 (2002).

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

#### **Water management**

Rapid Assessment of Water Systems based on Internal Consistency. — J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

#### **Water pipelines**

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Serali; 128(4), 271-9 (2002).

#### **Water pipes**

Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. — Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

#### **Water quality**

Boundary Schematization in Regulatory Mixing Zone Analysis. — Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbanas; 128(3), 208-15 (2002).

Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

#### **Water reclamation**

Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).

#### **Water resources**

Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

#### **Water resources management**

Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

#### **Water supply**

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

#### **Water use**

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

#### **Water yield**

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

#### **Watershed management**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperal, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

#### **Watersheds**

Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

## Author Index

**Adams, Thomas E., III**

Data and Modeling: The Future of Water Resources Planning and Management. —Thomas E. Adams, III; 128(1), 1-2 (2002).

**Adeloye, Adebayo J.**

Effects of Integrated Planning on Capacity-Yield-Performance Functions. —Majid Montaseri and Adebayo J. Adeloye; 128(6), 456-61 (2002).

**Agthe, Donald E.**

Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

**Ahmed, Iftekhar**

Determining Pipe Groupings for Water Distribution Networks. —Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. —Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

**Aldama, Alvaro A.**

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

**Anmala, J.**

Closure to "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. —J. Anmala, B. Zhang, and R. S. Govindaraju; 128(5), 381-2 (2002).

**Arora, Geeta**

Discussion of "Optimal Operation of Water Distribution Pumps Considering Water Quality" by A. Burcu Altan Sakarya and Larry W. Mays. —M. L. Kansal and Geeta Arora; 128(4), 307 (2002).

**Arreguin, Felipe I.**

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. —Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

**Asmal, Kader**

Parting the Waters. —Kader Asmal; 128(2), 87-90 (2002).

**Beering, Peter S.**

Threats on Tap: Understanding the Terrorist Threat to Water. —Peter S. Beering; 128(3), 163-7 (2002).

**Bhaduri, Budhendra**

Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. —Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).

**Billings, R. Bruce**

Water Price Influence on Apartment Complex Water Use. —Donald E. Agthe and R. Bruce Billings; 128(5), 366-9 (2002).

**Bledsoe, Brian P.**

Stream Erosion Potential and Stormwater Management Strategies. —Brian P. Bledsoe; 128(6), 451-5 (2002).

**Boccelli, Dominic L.**

Facility Location Model for Booster Disinfection of Water Supply Networks. —Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

**Bou-Zeid, E.**

Climate Change and Water Resources in Lebanon and the Middle East. —E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).

**Briggs, David A.**

Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

**Brothers, Kay**

Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

**Brunone, Bruno**

Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236-244. —Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).

**Butt, Arthur J.**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Campbell, J. Elliott**

Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

**Cerco, Carl F.**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. —Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Chang, Liang-Cheng**

Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. —Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).

**Cheng, Ker-Wei**

Network Flow Optimization Model for Basin-Scale Water Supply Planning. —Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).

**Chiang, Shih-Min**

Hydrologic Regionalization of Watersheds. I: Methodology Development. —Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Hydrologic Regionalization of Watersheds. II: Applications. —Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

**Chung, Francis**

Averting a California Water Crisis. —Francis Chung, Katherine Kelly, and Kamyar Guivetchi; 128(4), 237-9 (2002).

**Clark, Robert M.**

Predicting Chlorine Residuals in Drinking Water: Second Order Model. —Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

Costs for Water Supply Distribution System Rehabilitation. —Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. —Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

**Cole, Erin**

Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. —David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).

**Colombo, Andrew F.**

Energy and Costs of Leaky Pipes: Toward Comprehensive Picture. —Andrew F. Colombo and Bryan W. Karney; 128(6), 441-50 (2002).

**Culver, Teresa B.**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. —Teresa B. Culver, Troy R. Naperalala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

**Dahe, P. D.**

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. —P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

**de Kok, J. L.**

Rapid Assessment of Water Systems based on Internal Consistency. —J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

**Denton, Richard A.**

Water Quality Operation with a Blending Reservoir and Variable Sources. —J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).

**Doneker, Robert L.**

Boundary Schematization in Regulatory Mixing Zone Analysis. —Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).

- Donovan, David J.**  
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).
- Dubrovina, Tanja**  
Fuzzy Model for Real-Time Reservoir Operation. — Tanja Dubrovina, Ari Jolma, and Esko Turunen; 128(1), 66-73 (2002).
- Duckstein, L.**  
Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclouster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).
- El-Fadel, M.**  
Climate Change and Water Resources in Lebanon and the Middle East. — E. Bou-Zeid and M. El-Fadel; 128(5), 343-55 (2002).
- Fahmy, Hussam**  
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).
- Ferrante, Marco**  
Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236-244. — Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).
- Fontane, Darrell G.**  
Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).
- Gartrell, Gregory**  
Water Quality Operation with a Blending Reservoir and Variable Sources. — J. Elliott Campbell, David A. Briggs, Richard A. Denton, and Gregory Gartrell; 128(4), 288-302 (2002).
- Golob, R.**  
Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).
- Govindaraju, R. S.**  
Closure to "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Annala, Bin Zhang, and Rao S. Govindaraju. — J. Annala, B. Zhang, and R. S. Govindaraju; 128(5), 381-2 (2002).
- Greco, Massimo**  
Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).
- Grigg, Neil**  
Review of *Water boundaries: Demystifying land boundaries adjacent to tidal or navigable waters* by Bruce S. Flushman. — Neil Grigg; 128(6), 465 (2002).
- Guivetchi, Kamyar**  
Averting a California Water Crisis. — Francis Chung, Katherine Kelly, and Kamyar Guivetchi; 128(4), 237-9 (2002).
- Guo, James C. Y.**  
Runoff Capture and Delivery Curves for Storm-Water Quality Control Designs. — James C. Y. Guo and Ben Urbanas; 128(3), 208-15 (2002).
- Haddad, Brent M.**  
Monterey County Water Recycling Project: Institutional Study. — Brent M. Haddad; 128(4), 280-7 (2002).
- Hahn, Margaret A.**  
Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).
- Haimes, Yacov Y.**  
Strategic Responses to Risks of Terrorism to Water Resources. — Yacov Y. Haimes; 128(6), 383-9 (2002).
- Hamlet, Alan F.**  
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).
- Harbor, Jon**  
Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. — Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).
- Hawkins, Richard H.**  
Discussion of "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. — Douglas G. Lantz and Richard H. Hawkins; 128(6), 462-3 (2002).
- Howard, Charles D. D.**  
Sustainable Development — Risk and Uncertainty. — Charles D. D. Howard; 128(5), 309-11 (2002).
- Howitt, Richard E.**  
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).
- Hsiao, Chin-Tsai**  
Dynamic Optimal Groundwater Management with Inclusion of Fixed Costs. — Chin-Tsai Hsiao and Liang-Cheng Chang; 128(1), 57-65 (2002).
- Hsu, Nien-Sheng**  
Network Flow Optimization Model for Basin-Scale Water Supply Planning. — Nien-Sheng Hsu and Ker-Wei Cheng; 128(2), 102-12 (2002).
- Huppert, Daniel**  
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).
- Jenkins, Marion W.**  
Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).
- Jirka, Gerhard H.**  
Boundary Schematization in Regulatory Mixing Zone Analysis. — Robert L. Doneker and Gerhard H. Jirka; 128(1), 46-56 (2002).
- Johnson, Michael**  
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).
- Jolma, Ari**  
Fuzzy Model for Real-Time Reservoir Operation. — Tanja Dubrovina, Ari Jolma, and Esko Turunen; 128(1), 66-73 (2002).
- Jonoski, Andreja**  
Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).
- Kansal, M. L.**  
Discussion of "Optimal Operation of Water Distribution Pumps Considering Water Quality" by A. Burcu Altan Sakarya and Larry W. Mays. — M. L. Kansal and Geeta Arora; 128(4), 307 (2002).
- Karney, Bryan W.**  
Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236-244. — Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).
- Karney, Bryan W.**  
Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).
- Katzer, Terry**  
Cost-Benefit Analysis of Artificial Recharge in Las Vegas Valley, Nevada. — David J. Donovan, Terry Katzer, Kay Brothers, Erin Cole, and Michael Johnson; 128(5), 356-65 (2002).
- Kelly, Katherine**  
Averting a California Water Crisis. — Francis Chung, Katherine Kelly, and Kamyar Guivetchi; 128(4), 237-9 (2002).
- Kirshen, Paul H.**  
Potential Impacts of Global Warming on Groundwater in Eastern Massachusetts. — Paul H. Kirshen; 128(3), 216-26 (2002).
- Labadie, John W.**  
Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).
- Labadie, John W.**  
Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).
- Lansey, Kevin E.**  
Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).
- Lansey, Kevin E.**  
Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).
- Lantz, Douglas G.**  
Discussion of "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. — Douglas G. Lantz and Richard H. Hawkins; 128(6), 462-3 (2002).



**Leopardi, Angelo**

Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

**Lettenmaier, Dennis P.**

Economic Value of Long-Lead Streamflow Forecasts for Columbia River Hydropower. — Alan F. Hamlet, Daniel Huppert, and Dennis P. Lettenmaier; 128(2), 91-101 (2002).

**Linker, Lewis**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Liu, Yong**

Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

**Loaiciga, Hugo A.**

Reservoir Design and Operation with Variable Lake Hydrology. — Hugo A. Loaiciga; 128(6), 399-405 (2002).

**Loganathan, G. V.**

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Serali; 128(4), 271-9 (2002).

**Lukas, Andrew B.**

Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

**Lund, Jay R.**

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

Floodplain Planning with Risk-Based Optimization. — Jay R. Lund; 128(3), 202-7 (2002).

**Mahmoud, Mohamed Rami**

Multicriteria Siting and Sizing of Desalination Facilities with Geographic Information System. — Mohamed Rami Mahmoud, Hussam Fahmy, and John W. Labadie; 128(2), 113-20 (2002).

**Mallick, Keshaw N.**

Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

**Maskey, Shreedhar**

Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

**Mecarelli, Michele**

Closure to "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante July/August 2000, Vol. 126, No. 4, pp. 236-244. — Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante; 128(1), 86 (2002).

**Merrill, M. Steve**

Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

**Milot, Julie**

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

**Minner, Marie**

Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. — Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).

**Minocha, Vijay K.**

Discussion of "Comparison of ANNs and Empirical Approaches for Predicting Watershed Run-off" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — Vijay K. Minocha; 128(5), 379-81 (2002).

**Minsker, Barbara S.**

Efficient Multiscale Methods for Optimal In Situ Bioremediation Design. — Yong Liu and Barbara S. Minsker; 128(3), 227-36 (2002).

**Montaseri, Majid**

Effects of Integrated Planning on Capacity-Yield-Performance Functions. — Majid Montaseri and Adebayo J. Adeleye; 128(6), 456-61 (2002).

**Naperala, Troy R.**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

**Neeley, Kathryn A.**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

**Newlin, Brad D.**

Southern California Water Markets: Potential and Limitations. — Brad D. Newlin, Marion W. Jenkins, Jay R. Lund, and Richard E. Howitt; 128(1), 21-32 (2002).

**Nix, Stephan J.**

Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

**Oliveri, Elisa**

Two-Dimensional Modeling of Floods to Map Risk-Prone Areas. — Angelo Leopardi, Elisa Oliveri, and Massimo Greco; 128(3), 168-78 (2002).

**Palmer, Richard N.**

Expert System for Prioritizing the Inspection of Sewers: Knowledge Base Formulation and Evaluation. — Margaret A. Hahn, Richard N. Palmer, M. Steve Merrill, and Andrew B. Lukas; 128(2), 121-9 (2002).

**Paravan, D.**

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

**Park, S.**

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Serali; 128(4), 271-9 (2002).

**Persoons, E.**

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclouster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

**Pezzinga, Giuseppe**

Discussion of "Velocity Profiles and Unsteady Pipe Friction in Transient Flow," by Bruno Brunone, Bryan W. Karney, Michele Mecarelli, and Marco Ferrante. — Giuseppe Pezzinga; 128(1), 85 (2002).

**Piasecki, Michael**

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. — Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

**Potts, Andrew L.**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperala, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

**Rodriguez, Manuel J.**

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

**Rossman, Lewis A.**

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

**Sanders, Brett F.**

Optimization of Multiple Freshwater Diversions in Well-Mixed Estuaries. — Michael Piasecki and Brett F. Sanders; 128(1), 74-84 (2002).

**Selvakumar, Ari**

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

**Selvakumar, Ariamalar**

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

**Sérodes, Jean B.**

Contribution of Neural Networks for Modeling Trihalomethanes Occurrence in Drinking Water. — Julie Milot, Manuel J. Rodriguez, and Jean B. Sérodes; 128(5), 370-6 (2002).

**Sethi, Virendra**

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

**Shenk, Gary**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Sherali, H. D.**

Threshold Break Rate for Pipeline Replacement in Water Distribution Systems. — G. V. Loganathan, S. Park, and H. D. Sherali; 128(4), 271-9 (2002).

**Shim, Kyu-Cheoul**

Spatial Decision Support System for Integrated River Basin Flood Control. — Kyu-Cheoul Shim, Darrell G. Fontane, and John W. Labadie; 128(3), 190-201 (2002).

**Shinstine, Debbie S.**

Reliability/Availability Analysis of Municipal Water Distribution Networks: Case Studies. — Debbie S. Shinstine, Iftekhar Ahmed, and Kevin E. Lansey; 128(2), 140-51 (2002).

**Sivaganesan, Mano**

Predicting Chlorine Residuals in Drinking Water: Second Order Model. — Robert M. Clark and Mano Sivaganesan; 128(2), 152-61 (2002).

Costs for Water Supply Distribution System Rehabilitation. — Ariamalar Selvakumar, Robert M. Clark, and Mano Sivaganesan; 128(4), 303-6 (2002).

Cost Models for Water Supply Distribution Systems. — Robert M. Clark, Mano Sivaganesan, Ari Selvakumar, and Virendra Sethi; 128(5), 312-21 (2002).

**Solomatine, Dimitri P.**

Groundwater Remediation Strategy Using Global Optimization Algorithms. — Shreedhar Maskey, Andreja Jonoski, and Dimitri P. Solomatine; 128(6), 431-40 (2002).

**Sonnen, Michael B.**

Discussion of "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — Michael B. Sonnen; 128(5), 377-9 (2002).

**Srivastava, D. K.**

Multireservoir Multiyield Model with Allowable Deficit in Annual Yield. — P. D. Dahe and D. K. Srivastava; 128(6), 406-14 (2002).

**Stokelj, T.**

Enhanced Artificial Neural Network Inflow Forecasting Algorithm for Run-of-River Hydropower Plants. — T. Stokelj, D. Paravan, and R. Golob; 128(6), 415-23 (2002).

**Sweeney, Jeffrey**

Nutrient and Solids Controls in Virginia's Chesapeake Bay Tributaries. — Carl F. Cerco, Lewis Linker, Jeffrey Sweeney, Gary Shenk, and Arthur J. Butt; 128(3), 179-89 (2002).

**Tatalovich Coyle, Susan**

Closure to "Long-Term Hydrologic Impact of Urbanization: A Tale of Two Models" by Budhendra Bhaduri, Marie Minner, Susan Tatalovich, and Jon Harbor. — Budhendra Bhaduri, Marie Minner, Susan Tatalovich Coyle, and Jon Harbor; 128(6), 463-4 (2002).

**Tickle, Kevin S.**

Determining Pipe Groupings for Water Distribution Networks. — Keshaw N. Mallick, Iftekhar Ahmed, Kevin S. Tickle, and Kevin E. Lansey; 128(2), 130-9 (2002).

**Tilmant, A.**

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

**Tokgoz, Mehmet**

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

**Tryby, Michael E.**

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

**Tsay, Ting-Kuei**

Hydrologic Regionalization of Watersheds. I: Methodology Development. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 3-11 (2002).

Hydrologic Regionalization of Watersheds. II: Applications. — Shih-Min Chiang, Ting-Kuei Tsay, and Stephan J. Nix; 128(1), 12-20 (2002).

**Turunen, Esko**

Fuzzy Model for Real-Time Reservoir Operation. — Tanja Dubrovin, Ari Jolma, and Esko Turunen; 128(1), 66-73 (2002).

**Tzatchkov, Velitchko G.**

Advection-Dispersion-Reaction Modeling in Water Distribution Networks. — Velitchko G. Tzatchkov, Alvaro A. Aldama, and Felipe I. Arreguin; 128(5), 334-42 (2002).

**Uber, James G.**

Facility Location Model for Booster Disinfection of Water Supply Networks. — Michael E. Tryby, Dominic L. Boccelli, James G. Uber, and Lewis A. Rossman; 128(5), 322-33 (2002).

**Urbonas, Ben**

Runoff Capture and Delivery Curves for Stormwater Quality Control Designs. — James C. Y. Guo and Ben Urbonas; 128(3), 208-15 (2002).

**Vanclooster, M.**

Comparison of Fuzzy and Nonfuzzy Optimal Reservoir Operating Policies. — A. Tilmant, M. Vanclooster, L. Duckstein, and E. Persoons; 128(6), 390-8 (2002).

**Wang, Yu-Chi**

Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

**Wind, H. G.**

Rapid Assessment of Water Systems based on Internal Consistency. — J. L. de Kok and H. G. Wind; 128(4), 240-7 (2002).

**Wong, Hugh S.**

Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

**Yang, Tao-Chang**

Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

**Yazicigil, Hasan**

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

**Yeh, William W-G.**

Uncertainty Analysis in Contaminated Aquifer Management. — Hugh S. Wong and William W-G. Yeh; 128(1), 33-45 (2002).

**Yilmaz, Koray K.**

Optimal Aquifer Dewatering Schemes for Excavation of Collector Line. — Mehmet Tokgoz, Koray K. Yilmaz, and Hasan Yazicigil; 128(4), 248-61 (2002).

**Yu, Pao-Shan**

Uncertainty Analysis of Regional Flow Duration Curves. — Pao-Shan Yu, Tao-Chang Yang, and Yu-Chi Wang; 128(6), 424-30 (2002).

**Yu, Shaw L.**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperal, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

**Zhang, B.**

Closure to "Comparison of ANNs and Empirical Approaches for Predicting Watershed Runoff" by Jagadeesh Anmala, Bin Zhang, and Rao S. Govindaraju. — J. Anmala, B. Zhang, and R. S. Govindaraju; 128(5), 381-2 (2002).

**Zhang, Harry X.**

Case Study of Impact of Total Maximum Daily Load Allocations on Nitrate Leaching. — Teresa B. Culver, Troy R. Naperal, Andrew L. Potts, Harry X. Zhang, Kathryn A. Neeley, and Shaw L. Yu; 128(4), 262-70 (2002).

